

FUNGIFEED JRD

USE:	Product to be used exclusively in animal feeding.																
DESCRIPTION:	Mold inhibitor / Acidifier based in a synergistic mixture of organic acids																
PHYSICAL ASPECT:	Light brown coloured liquid, strong acid smell																
COMPOSITION:	<table border="1"> <tr> <td>Acetic Acid</td> <td>5 %</td> </tr> <tr> <td>Citric Acid</td> <td>1 %</td> </tr> <tr> <td>Formic Acid</td> <td>14 %</td> </tr> <tr> <td>Lactic Acid</td> <td>30 %</td> </tr> <tr> <td>Propionic Acid</td> <td>8 %</td> </tr> <tr> <td>Ammonium Propionate</td> <td>7 %</td> </tr> <tr> <td>Ammonium Formate</td> <td>12 %</td> </tr> <tr> <td>Carrier (Propilenglicol and water)</td> <td>Csp 100 %</td> </tr> </table>	Acetic Acid	5 %	Citric Acid	1 %	Formic Acid	14 %	Lactic Acid	30 %	Propionic Acid	8 %	Ammonium Propionate	7 %	Ammonium Formate	12 %	Carrier (Propilenglicol and water)	Csp 100 %
Acetic Acid	5 %																
Citric Acid	1 %																
Formic Acid	14 %																
Lactic Acid	30 %																
Propionic Acid	8 %																
Ammonium Propionate	7 %																
Ammonium Formate	12 %																
Carrier (Propilenglicol and water)	Csp 100 %																
DOSE:	0,5-3 Kg. / tm of feed																
COUNTERINDICATIONS:	Not known to date.																
PACKAGING:	25, 200 & 1000 liters																
STORAGE:	Store in a fresh, dry, protected from light place. Keep closed after each use.																
SELFLIFE:	Two years as from manufacturing date.																

Should any technical question, please do not hesitate to contact our technical department.