

AVIMAX S98 (AC 4084 P)

USE: Product to be used exclusively in animal feeding.

DESCRIPTION: Product to be used as acidifier based in sodium butyrate

PHYSICAL ASPECT: Micro – pearled, white, free flowing product.

COMPOSITION:

- Sodium butyrate (feed grade)

CARACTERISTICS:

- **Formula:** $C_4 H_7 O_2 Na$
- **Active ingredient:** 98 % of active ingredient, (over dry mat.).
- **Content in acid** 74,5 % of butyric acid, aprox.
- **Content in sodium:** 19,70 % aprox.
- **Loss on drying, max** 5 % máx.
- **Density:** 600 grs /l, approximately
- **pH (solution at 10 %) :** 8 a 10

RECOMMENDED DOSAGE

SPECIE	FASE	RECOMMENDED DOSAGE
PORCINE	PRESTARTER	1,5 - 3 Kg / Tm
	STARTER	1-2 Kg / Tm
	GROWING-FATTENING	0,5 - 1 Kg/Tm
BROILERS	From 0 to 10 days of life	0,5 - 1 Kg/Tm
	More than 10 días of life	0,25 - 0,5 Kg/Tm
TURKEYS	From 0 to 10 days of life	1,5 - 3 Kg/Tm
	More than 10 días of life	0,5 - 1 Kg/Tm
LAYERS	De 0 a 15 días de vida	0,5 - 1 Kg/Tm
	De 15 días en adelante	0,25 – 0,5 Kg/Tm
RABBITS	FIRST AGES	1,5 - 3 Kg/Tm
	FATTENING	1 - 2 Kg/Tm
BOVINE/OVINE		1,5-3 Kg/Tm
AQUACULTURE	FIRST AGES	1,5 - 3 Kg/Tm
	FATTENING	0,5 - 1 Kg/Tm

PACKAGING: 25 Kg bags / 1.000-1250 Kg big bags.

STORAGE: Store in a fresh, dry, protected from light place. Keep closed after each use.

SELFLIFE: Two year as from manufacturing date.